

INDEX TO VOLUME 44

AUTHORS INDEX

A

- ABBEY, DENTON C. (*See* Urschel and Abbey), 372
- ABERNATHY, ROBERT S. (*See* Hoffman, Abernathy, and Haedicke), 154
- ALTCHER, RICHARD. (*See* Hellman, Altcher, and Enselsberg), 615
- ANTZIS, ELI. (*See* Schilero, Antzis, and Dunn), 805
- ARONSON, STANLEY M. (*See* Gordon, Aronson, and Azulay), 51
- ASKEY, JOHN MARTIN. (*See* Hope and Askey), 306
- AXÉN, OLIVER. (*See* Biörck, Axén, and Thorson), 143
- AYALA Y DE LANDERO, CARLOS. A mathematical method to determine electrical axis direction of electrocardiographic waves, 67
- AZULAY, ABRAHAM. (*See* Gordon, Aronson, and Azulay), 51

B

- BAKER, B. M., JR. (*See* Scarborough, Davis, Baker, Mason, and Singewald), 910
- . (*See* Scarborough, Mason, Davis, Singewald, Baker, and Lore), 645
- BAUER, HEINZ, AND FORBES, G. LESTER. Unilateral renal artery obstruction associated with malignant nephrosclerosis confined to the opposite kidney, 634
- BEARD, OWEN W. (*See* Talley, Beard, and Doherty), 866
- BEBER, MEYER, AND LIMBECK, DONALD A. Electrocardiogram pattern in stab wound of the heart: case report, 149
- BECK, CLAUDE S. (*See* Hahn, Kim, and Beck), 772
- BEINFELD, WILLIAM H. (*See* Schaffer and Beinfeld), 89
- BENNETT, IVAN L., JR., AND WALKER, WILLIAM F. Cardiac arrhythmias following the use of large doses of central nervous system stimulants, 428
- BERGER, HERBERT. (*See* Fox, Berger, and Meidt), 747
- BIÖRCK, GUNNAR, AXÉN, OLIVER, AND THORSON, AKE. Unusual cyanosis in a boy with congenital pulmonary stenosis and tricuspid insufficiency. Fatal outcome after angiography, 143
- . (*See* Hall, Dencker, and Biörck), 600
- , WINBLAD, STEN, AND WULFF, HELGE B. Studies in mitral stenosis. II. Observations on incidence of active rheumatic carditis in left auricular appendages resected at operation for mitral stenosis, 325

- BISHOP, RONALD C. Delayed closure of the ductus arteriosus, 639
- BLINDER, HARRIS, BURSTEIN, JULIUS, AND SMELIN, RAANAN. Drug effects in Wolff-Parkinson-White syndrome, 268
- BLOUNT, S. GILBERT, JR. (*See* McCord and Blount), 671
- BOONE, BERT R. (*See* Hoyer and Boone), 458
- BOTHWELL, T. H., VAN LINGEN, B., WHIDBORNE, JOANNA, KAYE, J., MCGREGOR, M., AND ELLIOTT, G. A. Patent ductus arteriosus with partial reversal of the shunt, 360
- BOUTWELL, JOSEPH H. (*See* Soloff, Zatzuchni, and Boutwell), 766
- BRODEUR, ARMAND E. A mannikin to simplify the teaching of congenital heart disease, 294
- BROFMAN, BERNARD L., HELLERSTEIN, HERMAN K., AND CASKEY, WALTER H. Mephentermine—an effective pressor amine, 396
- . (*See* Hellerstein, Brofman, and Caskey), 407
- BROWN, RALPH D. (*See* Sutton, Buckingham, Brown, and Sutton), 622
- BUCKINGHAM, WILLIAM. (*See* Sutton, Buckingham, Brown, and Sutton), 622
- BURCHELL, HOWARD B., AND PUGH, DAVID G. Uncomplicated isolated dextrocardia ("dextroversio cordis" type), 196
- BURDETTE, WALTER J. The Krebs cycle in human cardiac muscle, 823
- BURSTEIN, JULIUS. (*See* Blinder, Burstein, and Smelin), 268
- BURWELL, C. SIDNEY. (*See* Sawyer, Burwell, Dexter, Eppinger, Goodale, Gorlin, Harken, and Haynes), 207

C

- CACCAMISE, WILLIAM C., AND WHITMAN, JOHN F. Pulseless disease, 629
- CASKEY, WALTER H. (*See* Brofman, Hellerstein, and Caskey), 396
- . (*See* Hellerstein, Brofman, and Caskey), 407
- CHESKY, KENNETH. (*See* Pordy, Chesky, Master, Taymor, and Moser), 248
- CHIU, GIN-CHI. (*See* Westlake, Schiess, Ershler, and Chiu), 106
- CORCORAN, A. C. (*See* Fertig, Olmsted, and Corcoran), 261
- COSBY, RICHARD S., LEVINSON, DAVID C., ZINN, WILLARD J., DIMITROFF, SIM P., AND GRIFFITH, GEORGE C. Congenital heart disease: an analysis of electrocardiographic patterns in forty-four patients with elevated right ventricular pressure, 581

- CURTIN, JOHN QUINN. Congenital cardiac anomaly: persistent common atrio-ventricular ostium, 884

D

- DAVIS, F. W., JR. (See Scarborough, Davis, Baker, Mason, and Singewald), 910
 —. (See Scarborough, Mason, Davis, Singewald, Baker, and Lore), 645
 DENCKER, S. JONAS. (See Hall, Dencker, and Björck), 600
 DEXTER, LEWIS. (See Sawyer, Burwell, Dexter, Eppinger, Goodale, Gorlin, Harken, and Haynes), 207
 DIMITROFF, SIM P. (See Cosby, Levinson, Zinn, Dimitroff, and Griffith), 581
 DIMOND, E. GREY. (See Lamb and Dimond), 165, 174
 DOHERTY, JAMES E. (See Talley, Beard, and Doherty), 866
 DOTTI, LOUIS B. (See Felch, Keating, and Dotti), 390
 DOYLE, JOSEPH T., LEE, ROBERT A., AND KELLEY, ELIZABETH B. Observations on the elasticity of the pulmonary vasculature in man, 565
 DRESSLER, WILLIAM, AND ROESLER, HUGO. The occurrence in paroxysmal ventricular tachycardia of ventricular complexes transitional in shape to sinoauricular beats, 485
 —, —, AND SPECTER, LOUIS S. Dissociation with interference in the presence of 2:1 atrioventricular block, 238
 DUNN, F. LOWELL, AND RAHM, WALTER E., JR. Electrocardiography. II, 95
 DUNN, JAMES. (See Schilero, Antzis, and Dunn), 805

E

- ELLIOTT, G. A. (See Bothwell, Van Lingen, Whidborne, Kaye, McGregor and Elliott), 360
 ENSELBERG, CHARLES D., AND LIPKIN, MARTIN. The intramuscular administration of procaine amide, 781
 —. (See Hellman, Altchek, and Enselberg), 615
 EPPINGER, EUGENE C. (See Sawyer, Burwell, Dexter, Eppinger, Goodale, Gorlin, Harken, and Haynes), 207
 EPSTEIN, BERNARD. (See Lasser, Epstein, and Loewe), 681
 ERSHLER, I. L. (See Westlake, Schiess, Ershler, and Chiu), 106
 EZELL, HUMPHREY K. (See Goldberg, Ezell, and Walton), 754

F

- FELCH, WILLIAM C., KEATING, JOHN H., AND DOTTI, LOUIS B. The depressing effect of inositol on serum cholesterol and lipid phosphorous in hypercholesteremic myocardial infarct survivors, 390
 FELDMAN, L., O'CONNOR, WILLIAM R., FRIEDMAN, IRVING A., AND FISCHER, J. W. Anticoagulant therapy in acute myocardial infarction, 112

- FENICHEL, NATHAN M. Paroxysmal auricular tachycardia with digitalis - induced atrioventricular block under observation for thirteen years, 890
 FERTIG, HENRY H., OLMSTED, F., AND CORCORAN, A. C. The fusion frequency of flicker in hypertension, 261
 FIELDS, JOSHUA. (See Smith, Fields, Kennamer, and Prinzmetal), 231
 FISCHER, J. W. (See Feldman, O'Connor, Friedman, and Fischer), 112
 FLEISCHMAN, S. J. A case of Wolff-Parkinson-White syndrome with paroxysmal ventricular tachycardia, 897
 FORBES, G. LESTER. (See Bauer and Forbes), 634
 FOX, THEODORE T., BERGER, HERBERT, AND MEIDT, CHARLES E. On some aspects of unipolar electrocardiography in presence of pulmonary pathology, 747
 FREEDMAN, MARTIN J., HENSLE, NESTOR M., POLLOCK, BYRON E. Asymptomatic pulmonary arteriovenous fistula: report of two cases surgically treated, 594
 FRIEDFELD, LOUIS. (See Vesell and Friedfeld), 830
 FRIEDMAN, IRVING A. (See Feldman, O'Connor, Friedman, and Fischer), 112
 FRIEDMAN, SYDNEY M., AND PAULS, HENRY. The effect of pitressin infusion on blood pressure of the rabbit, cat, and rat, 131

G

- GERTLER, MENARD M. (See Howard and Gertler), 35
 GLASSY, FRANK J. (See Koonce, Pollock, and Glassy), 901
 GOLDBERG, LEON I., EZELL, HUMPHREY K., AND WALTON, ROBERT P. Electrocardiographic and serum potassium changes in fatal hyperthermia, 754
 GOLDMAN, I. RALPH, AND STERN, NEUTON S. Congenital malformation of the heart in one of identical twins, 159
 GOODALE, WALTER T. (See Sawyer, Burwell, Dexter, Eppinger, Goodale, Gorlin, Harken, and Haynes), 207
 GORDON, ALVIN J. (See Moscovitz, Gordon, and Scherlis), 184
 GORDON, BENJAMIN S., ARONSON, STANLEY, AND AZULAY, ABRAHAM. Multiple arteriovenous aneurysms of soft tissues and bone (pelvis and vertebrae) resulting in cardiac failure, 51
 GORLIN, RICHARD. (See Sawyer, Burwell, Dexter, Eppinger, Goodale, Gorlin, Harken, and Haynes), 207
 GRAY, FRANK D., WILLIAMS, M. HENRY, AND GRAY, FRIEDA G. The circulatory and ventilatory changes in chronic pulmonary disease as affected by lanatoside C, 517
 GRAY, FRIEDA G. (See Gray, Williams, and Gray), 517
 GRIFFITH, GEORGE C. (See Cosby, Levinson, Zinn, Dimitroff, and Griffith), 581
 —. (See Miller, Nathanson, and Griffith), 432

H

- HAEDICKE, THOMAS A. (See Hoffman, Abernathy, and Haedicke), 154
- HAHN, RICHARD S., KIM, MAURICE, AND BECK, CLAUDE S. Revascularization of the heart. Observations on the circulation following arterialization of the coronary sinus, 772
- HALL, PAUL, DENCKER, S. JONAS, AND BIÖRCK, GUNNAR. Studies in mitral stenosis. III. Observations on the incidence and distribution of cerebral emboli with regard to the possibilities of their prevention during operative procedures, 600
- HANDLEY, CARROLL A. (See Moyer, Handley, and Seibert), 281
- . (See Moyer, Handley, and Wilford), 608
- HANSEN, W. REEVE, MCCLENDON, ROBERT L., AND KINSMAN, J. MURRAY. Auricular fibrillation, 499
- HARKEN, DWIGHT E. (See Sawyer, Burwell, Dexter, Eppinger, Goodale, Gorlin, Harken, and Haynes), 207
- HAYNES, FLORENCE W. (See Sawyer, Burwell, Dexter, Eppinger, Goodale, Gorlin, Harken, and Haynes), 207
- HELLERSTEIN, HERMAN K., BROFMAN, BERNARD L., AND CASKEY, WALTER H. Shock accompanying myocardial infarction: treatment with pressor amines, 407
- . (See Brofman, Hellerstein, and Caskey), 396
- HELLMAN, EMANUEL, ALTCHER, RICHARD, AND ENSELBERG, CHARLES D. Therapeutic and toxic effects of a new oral diuretic (1-propyl-3-ethyl-6-aminouracil), 615
- HENSLER, NESTOR M. (See Freedman, Hensler, and Pollock), 594
- HEYER, HOWARD E., AND BOONE, BERT R. The present status of electrokymography, 458
- HOFFMAN, IRWIN, ABERNATHY, ROBERT S., AND HAEDICKE, THOMAS A. Effect of procaine amide on anomalous conduction and paroxysmal tachycardia in a case resembling the Wolff-Parkinson-White syndrome, 154
- HOOGENBOOM, W. A. H. (See Schalm and Hoogenboom), 571
- HOPE, ROBERT B., AND ASKEY, JOHN MARTIN. Necrosis of a cardiac papillary muscle following infarction with incomplete rupture, 306
- HOWARD, RICHARD, AND GERTLER, MENARD M. Axis deviation and body build, 35
- HURST, J. WILLIS. (See Tomlin, Logue, and Hurst), 42
- . (See Woodson and Hurst), 879
- HUSSEY, CLARA V. (See Quick, Hussey, and Kaser), 119

I

- IGLAUER, ARNOLD. (See Strauss, Simon, Iglauder, and McGuire), 787

J

- JOHNSON, ELOISE EBERLING. (See Johnson and Johnson), 344
- JOHNSON, JOHN B. (See Keller and Johnson), 494
- JOHNSON, RICHARD P., AND JOHNSON, ELOISE EBERLING. Congenital pulmonic stenosis with open foramen ovale in infancy, 344

K

- KASER, MARGARET. (See Quick, Hussey, and Kaser), 119
- KATTER, GEORGE W. (See Kelley, Keegan, and Katter), 851
- KAYE, J. (See Bothwell, Van Lingen, Whidborne, Kaye, McGregor, and Elliott), 360
- KEATING, JOHN H. (See Felch, Keating, and Dotti), 390
- KEEGAN, CHARLES E., JR. (See Kelley, Keegan, and Katter), 851
- KELLER, DONALD H., AND JOHNSON, JOHN B. The T wave of the unipolar precordial electrocardiogram in normal adult Negro subjects, 494
- KELLEY, ELIZABETH B. (See Doyle, Lee, and Kelley), 565
- KELLEY, ROBERT T., KEEGAN, CHARLES E., JR., AND KATTER, GEORGE W. The value of intravenous procaine amide in the treatment of tachycardias, 851
- KENNAMER, REXFORD. (See Smith, Fields, Kennamer, and Prinzmetal), 231
- KOONCE, DUVAL H., POLLOCK, B. E., AND GLASSY, FRANK J. Bilateral pheochromocytoma associated with neurofibromatosis, 901
- KIM, MAURICE. (See Hahn, Kim, and Beck), 772
- KINSMAN, J. MURRAY. (See Hansen, McCleendon, and Kinsman), 499
- KROOP, IRVING G. (See Rubinstein and Kroop), 313

L

- LAMB, LAWRENCE E., AND DIMOND, E. GREY. A method for recording spatial vectorcardiograms, 165
- AND ———. The spatial vectorcardiogram during the first decade of life, 174
- LANGNER, PAUL H., JR. A geometric model for determining the direction of mean spatial vectors, 378
- LASSER, RICHARD P., AND LOEWE, LEO. Esophageal pressure pulse patterns (esophageal piezocardiogram), 531
- , EPSTEIN, BERNARD, AND LOEWE, LEO. Esophageal pressure pulse patterns (esophageal piezocardiogram). II. Observations in human beings with mitral valve disease, 681
- LEE, ROBERT A. (See Doyle, Lee, and Kelley), 565
- LEPESCHKIN, EUGENE, AND SURAWICZ, BORYS. The measurement of the duration of the QRS interval, 80

—, Artifacts in multiple channel electrocardiographs using a common central terminal, 62

LEV, MAURICE. (See Saphir and Lev), 843

LEVIN, STANLEY L. (See Selinger and Levin), 311

LEVINSON, DAVID C. (See Cosby, Levinson, Zinn, Dimitroff, and Griffith), 581

LIMBECK, DONALD A. (See Beber and Limbeck), 149

LIPKIN, MARTIN. (See Enselberg and Lipkin), 781

LOEWE, LEO. (See Lasser and Loewe), 531

—, (See Lasser, Epstein, and Loewe), 681

LOGUE, R. BRUCE. (See Tomlin, Logue, and Hurst), 42

LORE, S. A. (See Scarborough, Mason, Davis, Singewald, Baker, and Lore), 645

LUBIC, LOWELL G., AND SISSMAN, NORMAN J. A modification of the fluorescein circulation time, 443

LUISADA, ALDO A., AND MAGRI, GIANO. The low frequency tracings of the precordium and epigastrium in normal subjects and cardiac patients, 545

M

MCCLENDON, ROBERT L. (See Hansen, McClendon, and Kinsman), 499

MCCORD, MALCOLM C., AND BLOUNT, S. GILBERT, JR. The hemodynamic pattern in tricuspid valve disease, 671

MCGREGOR, M. (See Bothwell, Van Lingen, Whidborne, Kaye, McGregor, and Elliott), 360

MCGUIRE, JOHNSON. (See Strauss, Simon, Iglaue, and McGuire), 787

MAGRI, GIANO. (See Luisada and Magri), 545

MANDELBAUM, HARRY, AND MANDELBAUM, ROBERT A. Ballistocardiographic response to nitroglycerin in coronary artery disease, 257

MANDELBAUM, ROBERT A. (See Mandelbaum and Mandelbaum), 257

MASON, R. E. (See Scarborough, Davis, Baker, Mason, and Singewald), 910

—, (See Scarborough, Mason, Davis, Singewald, Baker, and Lore), 645

MASTER, ARTHUR M. (See Pordy, Chesky, Master, Taymor, and Moser), 248

MEIDT, CHARLES E. (See Fox, Berger, and Meidt), 747

MILLER, HAROLD, NATHANSON, MORRIS H., AND GRIFFITH, GEORGE C. The action of procaine amide in complete heart block, 432

MOSCOVITZ, HOWARD L., GORDON, ALVIN J., AND SCHERLIS, LEONARD. Levocardia, 184

MOSER, MARVIN. (See Pordy, Chesky, Master, Taymor, and Moser), 248

MOYER, JOHN H., HANDLEY, CARROLL A., AND SEIBERT, RICHARD A. Clinical diuretic studies on three new mercurial compounds, 281

—, —, AND WILFORD, IVA. Results over a two-year period on three experimental diuretics administered orally to patients with cardiac failure, 608

N

NATHANSON, MORRIS H. (See Miller, Nathanson, and Griffith), 432

O

O'CONNOR, WILLIAM R. (See Feldman, O'Connor, Friedman, and Fischer), 112

OLMSTED, F. (See Fertig, Olmsted, and Corcoran), 261

O'RAHILLY, RONAN. The normal cardiac apex and apex beat: a critical review of recent data, 23

P

PAPP, CORNELIO, AND SMITH, K. SHIRLEY. Electrocardiographic assessment of posterior cardiac infarction, 696

PAULS, HENRY. (See Friedman and Pauls), 131

PIPILIS, GEORGE A., AND STAVRAKAS, B. Acquired arteriovenous fistula, 793

POLLOCK, B. E. (See Koonce, Pollock, and Glassy), 901

POLLOCK, BYRON E. (See Freedman, Nestor, and Pollock), 594

PORDY, LEON, CHESKY, KENNETH, MASTER, ARTHUR M., TAYMOR, ROBERT C., AND MOSER, MARVIN. The dual displacement and velocity ballistocardiograph apparatus, 248

PRICE, WALTER S. (See Wagner and Price), 452

PRINZMETAL, MYRON. (See Smith, Fields, Kennamer, and Prinzmetal), 231

PUGH, DAVID G. (See Burchell and Pugh), 196

Q

QUICK, ARMAND J., HUSSEY, CLARA V., AND KASER, MARGARET. The action of Dicumarol in the human being on plasma prothrombin time and total prothrombin time, 119

R

RAHM, WALTER E., JR. (See Dunn and Rahm), 95

READ, JOHN L., AND WILLIAMS, JOHN P. Lead myocarditis: report of a case, 797

RODRIGUEZ, MARIA ISABEL, AND SODI-PALLARES, DEMETRIO. The mechanism of complete and incomplete bundle branch block, 715

ROESLER, HUGO. (See Dressler and Roesler), 485

—, (See Dressler, Roesler, and Specter), 238

RUBINSTEIN, JOSHUA, AND KROOP, IRVING G. Boeck's sarcoid with unusual cardiac configuration and electrocardiographic changes, 313

RUSKIN, HERMAN, AND SAMUEL, ERIC. Rheumatic heart disease with calcification of the left auricle, 333

S

SAMUEL, ERIC. (See Ruskin and Samuel), 333

SAPHIR, OTTO, AND LEV, MAURICE. The venous valve in the aged, 843

- SAWYER, C. GLENN, BURWELL, C. SIDNEY, DEXTER, LEWIS, EPPINGER, EUGENE C., GOODALE, WALTER T., GORLIN, RICHARD, HARKEN, DWIGHT E., AND HAYNES, FLORENCE W. Chronic constrictive pericarditis: further consideration of the pathologic physiology of the disease, 207
- SCARBOROUGH, W. R., DAVIS, F. W., JR., BAKER, B. M., JR., MASON, R. E., AND SINGEWALD, M. L. A review of ballistocardiography, 910
- , MASON, R. E., DAVIS, F. W., JR., SINGEWALD, M. L., BAKER, B. M., JR., AND LORE, S. A. A ballistocardiographic and electrocardiographic study of 328 patients with coronary artery disease; comparison with results from a similar study of apparently normal persons, 645
- SCHACK, JEROME A. (*See* Vesell and Schack), 296
- SCHAEFFER, ABRAHAM I., AND BEINFELD, WILLIAM H. The vectorcardiogram of the newborn infant, 89
- SCHALM, L., AND HOOGENBOOM, W. A. H. Blood bilirubin in congestive heart failure, 571
- SCHERLIS, LEONARD. (*See* Moscovitz, Gordon, and Scherlis), 184
- SCHIESS, WILLIAM A. (*See* Westlake, Schiess, Ershler, and Chiu), 106
- SCHILERO, ANTHONY J., ANTZIS, ELI, AND DUNN, JAMES. Friedreich's ataxia and its cardiac manifestations, 805
- SEIBERT, RICHARD A. (*See* Moyer, Handley, and Seibert), 281
- SELINGER, ALFRED G., AND LEVIN, STANLEY L. Ballistocardiographic findings in a case of pulsus alternans, 311
- SELZER, ARTHUR, AND TAYLOR, GERARD W. The hypotensive state following acute myocardial infarction. II, 12
- , The hypotensive state following acute myocardial infarction. I, 1
- SIMON, DAVID L. (*See* Strauss, Simon, Iglauer, and McGuire), 787
- SINGEWALD, M. L. (*See* Scarborough, Davis, Baker, Mason, and Singewald), 910
- , (*See* Scarborough, Mason, Davis, Singewald, Baker, and Lore), 645
- SISSMAN, NORMAN J. (*See* Lubic and Sissman), 443
- SMELIN, RAANAN. (*See* Blinder, Burstein, and Smelin), 268
- SMITH, J. E. A calibrated bar-magnet velocity meter for use in ballistocardiography, 872
- SMITH, K. SHIRLEY. (*See* Papp and Smith), 696
- SMITH, L. ALLEN, FIELDS, JOSHUA, KENNAMER, REXFORD, AND PRINZMETAL, MYRON. Studies on the mechanism of ventricular activity. III. Contraction of the ventricles in experimental bundle branch block, 231
- SODI-PALLARES, DEMETRIO. (*See* Rodriguez and Sodi-Pallares), 715
- SOLOFF, LOUIS A., ZATUCHNI, JACOB, AND BOUTWELL, JOSEPH H. The relationship of some electrolytes of the serum, edema fluid, and urine in a case of intractable heart failure, 766
- SPECTER, LOUIS S. (*See* Dressler, Roesler, and Specter), 238
- STAVRAKAS, B. (*See* Pipilis and Stavrakas), 793
- STERN, NEUTON S. (*See* Goldman and Stern), 159
- STERN, THOMAS N., TACKET, HALL S., AND ZACHARY, EUGENE G. Penetration into pericardial cavity during cardiac catheterization, 448
- STRAGNELL, ROBERT. Intravenous emulsified vitamin K₁ in the treatment of coumarin-induced hypoprothrombinemia, 124
- STRAUSS, VICTOR, SIMON, DAVID L., IGLAUER, ARNOLD, AND MCGUIRE, JOHNSON. Clinical studies of intramuscular injection of digitoxin (digitaline native) in a new solvent, 787
- SURAWICZ, BORYS. (*See* Lepeschkin and Surawicz), 80
- SUTTON, GEORGE C., BUCKINGHAM, WILLIAM, BROWN, RALPH D., AND SUTTON, DON C. A clinical evaluation of the treatment of hypertension with dihydrogenated ergotoxine alkaloids, 622

T

- TACKET, HALL S. (*See* Stern, Tacket, and Zachary), 448
- TALLEY, ROBERT W., BEARD, OWEN W., AND DOHERTY, JAMES E. Use of pent-aerythritol tetranitrate (Peritrate) in treatment of angina pectoris, 866
- TAYLOR, GERARD W. (*See* Selzer and Taylor), 12
- TAYMOR, ROBERT C. (*See* Pordy, Chesky, Master, Taymor, and Moser), 248
- THOROSON, AKE. (*See* Björck, Axén, and Thorson), 143
- TOMLIN, CLYDE E., LOGUE, R. BRUCE, AND HURST, J. WILLIS. Chronic cor pulmonale as a complication of fibrocystic disease of the pancreas, 42

U

- URSCHER, DAN L., AND ABBEY, DENTON C. Modification of a vector model to provide accurate recording of mean vector positions in three planes of space, 372

V

- VAN LINGEN, B. (*See* Bothwell, Van Lingen, Whidborne, Kaye, McGregor, and Elliott), 360
- VESELL, HARRY, AND FRIEDFELD, LOUIS. Critical rates in ventricular conduction. IV, 830
- , AND SCHACK, JEROME A. Schistosomal heart disease: bilharzic cor pulmonale, 296

W

- WAGNER, BERNARD M., AND PRICE, WALTER S. Dysphagia lusoria: an unusual case, 452
- WALKER, WILLIAM F. (See Bennett and Walker), 428
- WALTON, ROBERT P. (See Goldberg, Ezell, and Walton), 754
- WESTLAKE, ROBERT E., SCHIESS, WILLIAM A., ERSHLER, I. L., AND CHIU, GIN-CHI. The effect of digitoxin on the electrocardiogram, 106
- WHIDBORNE, JOANNA. (See Bothwell, Van Lingen, Whidborne, Kaye, McGregor, and Elliott), 360
- WHIPPLE, GERALD H. A simple technique for registering the direction of rotation of vectorcardiographic loops, 384
- WHITMAN, JOHN F. (See Caccamise and Whitman), 629
- WILFORD, IVA. (See Moyer, Handley, and Wilford), 608

- WILLIAMS, JOHN P. (See Read and Williams), 797
- WILLIAMS, M. HENRY. (See Gray, Williams, and Gray), 517
- WINBLAD, STEN. (See Björck, Winblad, and Wulff), 325
- WOODSON, GRATTAN C., JR., AND HURST, J. WILLIS. A teaching aid for visualizing the direction of electrical forces of the heart in space, 879
- WULFF, HELGE B. (See Björck, Winblad, and Wulff), 325

Z

- ZACHARY, EUGENE G. (See Stern, Tacket, and Zachary), 448
- ZATUCHNI, JACOB. (See Soloff, Zatuchni, and Boutwell), 766
- ZINN, WILLARD J. (See Cosby, Levinson, Zinn, Dimitroff, and Griffith), 581

SUBJECT INDEX

A

- Activation, study of propagation of wave of, in interventricular septal mass of dog's heart (Rodriguez and Sodi-Palares), 715
- Aerobic metabolism of human myocardium (Burdette), 823
- Aged, venous valve in (Saphir and Lev), 843
- Ages, various, histologic appearance of venous valve at (Saphir and Lev), 843
- Alkaloids, dihydrogenated ergotoxine, clinical evaluation of treatment of hypertension with (Sutton et al.), 622
- Aneurysms, arteriovenous, multiple, of soft tissues and bone (pelvis and vertebrae), resulting in cardiac failure (Gordon et al.), 51
- Angina pectoris, electrocardiographic and ballistocardiographic study (Scarborough et al.), 645
use of pentaerythritol tetranitrate (Peritrate) in treatment of (Talley et al.), 866
- Angiocardiography, fatal outcome after; unusual cyanosis in boy with congenital pulmonary stenosis and tricuspid insufficiency (Biörck et al.), 143
- Announcements, 482, 644
- Anomalous conduction and paroxysmal tachycardia, effect of procaine amide on, in case resembling Wolff-Parkinson-White syndrome (Hoffman et al.), 154
- Anticoagulant therapy in acute myocardial infarction (Feldman et al.), 112
- Aorta and pulmonary artery, normal electrokymographic tracings of (Heyer and Boone), 462
- Aortic and pulmonary valve lesions, electrokymographic studies of (Heyer and Boone), 468
- Aortographic visualization of pheochromocytoma in patient with neurofibromatosis (Koonce et al.), 901
- Apex beat and apex cordis, relations between (O'Rahilly), 28
normal cardiac apex and: critical review of recent data (O'Rahilly), 23
- Appendages, auricular, left, resected at operation for mitral stenosis, observations on incidence of active rheumatic carditis in (II); studies in mitral stenosis (Biörck et al.), 325
- Arrhythmias, cardiac, following use of large doses of central nervous system stimulants (Bennett and Walker), 428
- Arterial pressure, radial, mean, in auricular fibrillation (Hansen et al.), 511
- Arterialization of coronary sinus, observations on circulation following; revascularization of heart (Hahn et al.), 772
- Arteriosclerosis, American Society for Study of. Program of Sixth Annual Meeting, 482
- Arteriosus, ductus, delayed closure of (Bishop), 639
- Arteriovenous aneurysms, multiple, of soft tissues and bone (pelvis and vertebrae) resulting in cardiac failure (Gordon et al.), 51
fistula, acquired (Pipilis and Stavrakas), 793
pulmonary, asymptomatic: report of two cases surgically treated (Freedman et al.), 594
- Artery, axillar, arteriovenous fistula of small branch of, of twenty-years' duration, accompanied by cardiac insufficiency of Class II functional capacity (Pipilis and Stravrakas), 793
coronary, disease, ballistocardiographic and electrocardiographic study of 328 patients with; comparison with results from similar study of apparently normal persons (Scarborough et al.), 645
response to nitroglycerin in (Mandelbaum and Mandelbaum), 257
blood bilirubin in (Schalm and Hoogenboom), 576
obstruction, renal, unilateral, associated with malignant nephrosclerosis confined to opposite kidney (Bauer and Forbes), 634
- Arztliche Praxis, Elektrokardiographie für die, 803 (B. Rev.)
- Asynchronism, electrokymographic studies on (Heyer and Boone), 471
- Ataxia, Friedreich's and its cardiac manifestations (Schilero et al.), 805
- Atrial pressure, mean right, in auricular fibrillation (Hansen et al.), 511
- Atrioventricular block, digitalis-induced, paroxysmal auricular tachycardia with, under observation for thirteen years (Fenichel), 890

- Atrioventricular block**—Cont'd
 2:1, dissociation with interference in presence of (Dressler et al.), 238
 ostium, common, persistent; congenital cardiac anomaly (Curtin), 884
- Atropine administration** (vagolytic substance)
 effects of, on Wolff-Parkinson-White syndrome (Blinder et al.), 269
- Auricle, left, rheumatic heart disease with calcification of** (Ruskin and Samuel), 333
- Auricular appendages, left, resected at operation for mitral stenosis, observations on incidence of active rheumatic carditis in** (II); studies in mitral stenosis (Biörck et al.), 325
 curve, normal, electrokymogram and (Heyer and Boone), 460
 fibrillation (Hansen et al.), 499
 tachycardia, paroxysmal, with digitalis-induced atrioventricular block under observation for thirteen years (Fenichel), 890
- Axillar artery, arteriovenous fistula of small branch of, of twenty-years' duration, accompanied by cardiac insufficiency of Class II functional capacity** (Pipilis and Stavrakas), 645
- Axis deviation and body build** (Howard and Gertler), 35
 electrical, direction of electrocardiographic waves, mathematical method to determine (Ayala), 67
- B**
- Ballistocardiograph apparatus, dual displacement and velocity** (Pordy et al.), 248
- Ballistocardiographic and electrocardiographic study of 328 patients with coronary artery disease; comparison with results from similar study of apparently normal persons** (Scarborough et al.), 645
 findings in case of pulsus alternans (Selinger and Levin), 311
 response to nitroglycerin in coronary artery disease (Mandelbaum and Mandelbaum), 257
- Ballistocardiography, calibrated bar-magnet velocity meter for use in** (Smith), 872
 clinical application of (Scarborough et al.), 930
 history of (Scarborough et al.), 910
 physical and physiologic background of (Scarborough et al.), 911
 review of (Scarborough et al.), 910
- Bar-magnet velocity meter, calibrated, for use in ballistocardiography** (Smith), 872
- Beat, apex, normal cardiac apex and: critical review of recent data** (O'Rahilly), 23
- Beats, sinoauricular, occurrence in paroxysmal ventricular tachycardia of ventricular complexes transitional in shape to** (Dressler and Roesler), 485
- Bilharzic cor pulmonale; schistosomal heart disease** (Vesell and Schack), 296
- Bilirubin, blood, in congestive heart failure** (Schalm and Hoogenboom), 571
- Block, atrioventricular, digitalis-induced, paroxysmal auricular tachycardia with, under observation for thirteen years** (Fenichel), 890
 2:1 atrioventricular, dissociation with interference in presence of (Dressler et al.), 238
 bundle branch, unstable, duration of; critical rates in ventricular conduction (Vesell and Friedfeld), 830
- Blood bilirubin in congestive heart failure** (Schalm and Hoogenboom), 571
 pressure, high, control, and live longer, 321 (B. Rev.)
 of rabbit, cat, and rat, effect of pitressin infusion on (Friedman and Pauls), 131
 volume, pulmonary, in auricular fibrillation (Hansen et al.), 505
- Body build, axis deviation and** (Howard and Gertler), 35
- Boeck's sarcoid with unusual cardiac configuration and electrocardiographic changes** (Rubinstein and Kroop), 313
- Bone, multiple arteriovenous aneurysms of soft tissues and, (pelvis and vertebrae), resulting in cardiac failure** (Gordon et al.), 51
- Book reviews, 164, 321, 481, 833**
- Build, body, axis deviation and** (Howard and Gertler), 35
- Bundle branch block, complete and incomplete, mechanism of** (Rodriguez and Sodi-Pallares), 715
 experimental, contraction of ventricles in (III); studies on mechanism of ventricular activity (Smith et al.), 231
 unstable, duration of; critical rates in ventricular conduction (Vesell and Friedfeld), 830
- C**
- Calcification of left auricle, rheumatic heart disease with** (Ruskin and Samuel), 333
- Capacity, vital, in auricular fibrillation** (Hansen et al.), 512
- Cardiac anomaly, congenital: persistent common atrioventricular ostium** (Curtin), 884

- Cardiac anomaly--Cont'd
- apex, normal, and apex beat: critical review of recent data (O'Rahilly), 23
 - arrhythmias following use of large doses of central nervous system stimulants (Bennett and Walker), 428
 - catheterization, penetration into pericardial cavity during (Stern et al.), 448
 - configuration, unusual, and electrocardiographic changes, Boeck's sarcoid with (Rubinstein and Kroop), 313
 - cycle, physiologic variations in phases of, determined by electrokymograph (Heyer and Boone), 466
 - failure, multiple arteriovenous aneurysms of soft tissues and bone (pelvis and vertebrae) resulting in (Gordon et al.), 51
 - results over two-year period on three experimental diuretics administered orally to patients with (Moyer et al.), 608
 - infarction, posterior, electrocardiographic assessment of (Papp and Smith), 696
 - insufficiency of Class II functional capacity, arteriovenous fistula of small branch of axillar artery, of twenty-years' duration, accompanied by (Pipilis and Stavrakas), 793
 - manifestations, its, Friedreich's ataxia and (Schilero et al.), 805
 - muscle, human, Krebs cycle in (Burdette), 823
 - output, electrokymographic studies in (Heyer and Boone), 472
 - in auricular fibrillation (Hansen et al.), 501
 - papillary muscle, necrosis of, following infarction with incomplete rupture (Hope and Askey), 306
- Cardiology for nurses, handbook of, 324 (B. Rev.)
- Carditis, rheumatic, active, observations on incidence of, in left auricular appendages resected at operation for mitral stenosis (II); studies in mitral stenosis (Björck et al.), 325
- Catheterization, cardiac, penetration into pericardial cavity during (Stern et al.), 448
- Cavity, pericardial, penetration into, during cardiac catheterization (Stern et al.), 448
- Central terminal, common, artifacts in multiple channel electrocardiographs using (Lepeschkin), 62
- Cerebral emboli, observations on incidence and distribution of, with regard to possibilities of their prevention during operative procedures (III); studies in mitral stenosis (Hall et al.), 600
- Cholesterol, serum, and lipid phosphorus, depressing effect of inositol on, in hypercholesteremic myocardial infarct survivors (Felch et al.), 390
- Circulation, disorders of heart and, 322 (B. Rev.)
 - following arterialization of coronary sinus, observations on; revascularization of heart (Hahn et al.), 772
 - time, fluorescein, modification of (Lubic and Sissman), 413
 - mean, in auricular fibrillation (Hansen et al.), 512
- Circulatory and ventilatory changes in chronic pulmonary disease as affected by lanatoside C (Gray et al.), 517
- Complexes, ventricular, transitional in shape to sinoauricular beats, occurrence in paroxysmal ventricular tachycardia of (Dressler and Roesler), 485
- Conduction, accelerated; Wolff-Parkinson-White syndrome and related conditions, 481 (B. Rev.)
 - anomalous, and paroxysmal tachycardia, effect of procaine amide on, in case resembling Wolff-Parkinson-White syndrome (Hoffman et al.), 154
 - ventricular, aberrant, following use of procaine amide (Kelley et al.), 851
 - critical rates in. IV (Vesell and Friedfeld), 830
- Configuration, cardiac, unusual, and electrocardiographic changes, Boeck's sarcoid with (Rubinstein and Kroop), 313
- Congestive failure, electrokymographic studies in (Heyer and Boone), 474
 - heart failure, blood bilirubin in (Schalm and Hoogenboom), 571
- Cor pulmonale, chronic, as complication of fibrocystic disease of pancreas (Tomlin et al.), 42
- Coronary artery disease, ballistocardiographic and electrocardiographic study of 328 patients with; comparison with results from similar study of apparently normal persons (Scarborough et al.), 645
 - response to nitroglycerin in (Mandelbaum and Mandelbaum), 257
 - blood bilirubin in (Schalm and Hoogenboom), 576
 - sinus, observations on circulation following arterialization of; revascularization of heart (Hahn et al.), 772
- Coumarin-induced hypoprothrombinemia, intravenous emulsified vitamin K₁ in treatment of (Stragnell), 124
- Cyanosis, unusual, in boy with congenital pulmonary stenosis and tricuspid insufficiency. Fatal outcome after angiocardigraphy (Björck et al.), 143
- D
- Dextrocardia, isolated, uncomplicated ("dextroversio cordis" type) (Burchell and Pugh), 196

- Dicumarol, action of, in human being on plasma prothrombin time and total prothrombin time (Quick et al.), 119
use in producing hyperthermia (Goldberg et al.), 755
- Digitalis administration (vagomimetic substance), effects of, on Wolff-Parkinson-White syndrome (Blinder et al.), 274
effect of, on electrokymographic tracing (Heyer and Boone), 472
-induced atrioventricular block, paroxysmal auricular tachycardia with, under observation for thirteen years (Fenichel), 890
- Digitoxin (Digitaline Nativelle), clinical studies of intramuscular injection of, in new solvent (Strauss et al.), 787
effect of, on electrocardiogram (Westlake et al.), 106
- Dihydrogenated ergotoxine alkaloids, clinical evaluation of treatment of hypertension with (Sutton et al.), 622
- Dinitrophenol, use in producing hyperthermia (Goldberg et al.), 755
- Dissociation with interference in presence of 2:1 atrioventricular block (Dressler et al.), 238
- Diuretic (1-propyl-3-ethyl-6-aminouracil), oral, new, therapeutic and toxic effects of (Hellman et al.), 615
studies, clinical, on three new mercurial compounds (Moyer et al.), 281
- Diuretics, experimental, three, administered orally to patients with cardiac failure, results over two-year period on (Moyer et al.), 608
- Drug effects in Wolff-Parkinson-White syndrome (Blinder et al.), 268
- Ductus arteriosus, delayed closure of (Bishop), 639
- Dysphagia lusoria: unusual case (Wagner and Price), 452
- E
- Edema fluid, serum, and urine, relationship of some electrolytes of, in case of intractable heart failure (Soloff et al.), 766
- Effort test in diagnosis of slight posterior cardiac infarction (Papp and Smith), 696
- Elasticity of pulmonary vasculature in man, observations on (Doyle et al.), 565
- Electrical axis direction of electrocardiographic waves, mathematical method to determine (Ayala), 67
- Electrical axis—Cont'd
forces of heart in space, teaching aid for visualizing direction of (Woodson and Hurst), 879
- Electrocardiogram, effect of digitoxin on (Westlake et al.), 106
pattern in stab wound of heart: case report (Beber and Limbeck), 149
precordial, unipolar, T wave of, in normal adult Negro subjects (Keller and Johnson), 494
- Electrocardiographic and serum potassium changes in fatal hyperthermia (Goldberg et al.), 754
assessment of posterior cardiac infarction (Papp and Smith), 696
changes, Boeck's sarcoid with unusual cardiac configuration and (Rubinstein and Kroop), 313
interpretations in Friedreich's ataxia (Schilero et al.), 808
patterns in forty-four patients with elevated right ventricular pressure, analysis of; congenital heart disease (Cosby et al.), 581
study, ballistocardiographic and, of 328 patients with coronary artery disease; comparison with results from similar study of apparently normal persons (Scarborough et al.), 645
waves, mathematical method to determine electrical axis direction of (Ayala), 67
- Electrocardiographs, multiple channel, using common central terminal, artifacts in (Lepeschkin), 62
- Electrocardiography, unipolar, some aspects of, in presence of pulmonary pathology (Fox et al.), 747
- Electrokymograph, principle and description of (Heyer and Boone), 459
- Electrokymography, present status of (Heyer and Boone), 458
- Electrolyte, clinical use of fluid and, 321 (B. Rev.)
- Electrolytes, some, of serum, edema fluid, and urine, relationship of, in case of intractable heart failure (Soloff et al.), 766
- Electrostethography. II (Dunn and Rahm), 95
- Elektrokardiographie für die ärztliche Praxis, 803 (B. Rev.)
- Emboli, cerebral, observations on incidence and distribution of, with regard to possibilities of their prevention during operative procedures (III); studies in mitral stenosis (Hall et al.), 600

Epigastrium, low frequency tracings of precordium and, in normal subjects and cardiac patients (Luisada and Magri), 545

Ergotoxine alkaloids, dihydrogenated, clinical evaluation of treatment of hypertension with (Sutton et al.), 622

Esophageal pressure pulse patterns (esophageal piezocardiogram) (Lasser and Loewe), 531

II. Observations in human beings with mitral valve disease (Lasser et al.), 681

Extracardiac, intra- and, disease, unipolar leads in graphic differentiation between (Fox et al.), 747

F

Failure, cardiac, multiple arteriovenous aneurysms of soft tissues and bone (pelvis and vertebrae) resulting in (Gordon et al.), 51

results over two-year period on three experimental diuretics administered orally to patients with (Moyer et al.), 608

heart, intractable, relationship of some electrolytes of serum, edema fluid, and urine in case of (Soloff et al.), 766

Fibrillation, auricular (Hansen et al.), 499

Fibrocystic disease of pancreas, chronic cor pulmonale as complication of (Tomlin et al.), 42

Fistula, arteriovenous, acquired (Pipilis and Stavrakas), 793

pulmonary, asymptomatic: report of two cases surgically treated (Freedman et al.), 594

Flicker, fusion frequency of, in hypertension (Fertig et al.), 261

Fluid and electrolyte, clinical use of, 321 (B. Rev.)

Fluorescein circulation time, modification of (Lubic and Sissman), 443

Foramen ovale, open, congenital pulmonic stenosis with, in infancy (Johnson and Johnson), 344

Friedreich's ataxia and its cardiac manifestations (Schilero et al.), 805

Fusion frequency of flicker in hypertension (Fertig et al.), 261

G

Geometric model for determining direction of mean spatial vectors (Langner), 378

H

Heart and circulation, disorders of, 322 (B. Rev.)

Heart and Circulation—Cont'd

block, complete, action of procaine amide in (Miller et al.), 432

congenital malformation of, in one of identical twins (Goldman and Stern), 159

disease, congenital: analysis of electrocardiographic patterns in forty-four patients with elevated right ventricular pressure (Cosby et al.), 581
mannikin to simplify teaching of (Brodeur), 294

hypertensive, blood bilirubin in (Schalm and Hoogenboom), 576

rheumatic, blood bilirubin in (Schalm and Hoogenboom), 573

with calcification of left auricle (Ruskin and Samuel), 333

schistosomal; bilharzic cor pulmonale (Vesell and Schack), 296

syphilitic, blood bilirubin in (Schalm and Hoogenboom), 574

electrocardiogram pattern in stab wound of: case report (Beber and Limbeck), 149

failure, congestive, blood bilirubin in (Schalm and Hoogenboom), 571

intractable, relationship of some electrolytes of serum, edema fluid, and urine in case of (Soloff et al.), 766

rate in auricular fibrillation (Hansen et al.), 513

revascularization of. Observations on circulation following arterialization of coronary sinus (Hahn et al.), 772

teaching aid for visualizing direction of electrical forces of, in space (Woodson and Hurst), 879

Heat application, external, in producing hyperthermia (Goldberg et al.), 755

Hemodynamic pattern in tricuspid valve disease (McCord and Blount), 671

Histologic appearance of venous valve at various ages (Saphir and Lev), 843

Hypercholesteremic myocardial infarct survivors, depressing effect of inositol on serum cholesterol and lipid phosphorus in (Felch et al.), 390

Hypertension, clinical evaluation of treatment of, with dihydrogenated ergotoxine alkaloids (Sutton et al.), 622

fusion frequency of flicker in (Fertig et al.), 261

Hypertensive heart disease, blood bilirubin in (Schalm and Hoogenboom), 576

Hyperthermia, fatal, electrocardiographic and serum potassium changes in (Goldberg et al.), 754

Hypoprothrombinemia, coumarin-induced, intravenous emulsified vitamin K₁ in treatment of (Stragnell), 124

Hypotensive state following acute myocardial infarction. I (Selzer), 1

II (Selzer and Taylor), 12

- I
- Infancy, congenital pulmonic stenosis with open foramen ovale in (Johnson and Johnson), 344
- Infant, newborn, vectorcardiogram of (Schaffer and Beinfeld), 89
- Infarct, myocardial, hypercholesteremic, survivors, depressing effect of inositol on serum cholesterol and lipid phosphorus in (Felch et al.), 390
- Infarction, cardiac, posterior, electrocardiographic assessment of (Papp and Smith), 696
- myocardial, acute, anticoagulant therapy in (Feldman et al.), 112
- hypotensive state following. I (Selzer), 1
- II (Selzer and Taylor), 12
- old, electrocardiographic and ballistocardiographic study (Scarborough et al.), 645
- shock accompanying: treatment with pressor amines (Hellerstein et al.), 407
- with incomplete rupture, necrosis of cardiac papillary muscle following (Hope and Askey), 306
- Injury in man, observations on general effects of, with special reference to wound shock; Medical Research Council, Special Report Series, No. 277, 164 (B. Rev.)
- Inositol, depressing effect of, on serum cholesterol and lipid phosphorus in hypercholesteremic myocardial infarct survivors (Felch et al.), 390
- Insufficiency, cardiac, of Class II functional capacity, arteriovenous fistula of small branch of axillary artery, of twenty-years' duration, accompanied by (Pipilis and Stavarakas), 793
- mitral, esophageal pulse tracing in (Lasser et al.), 685
- tricuspid, unusual cyanosis in boy with congenital pulmonary stenosis and. Fatal outcome after angiocardiology (Biörck et al.), 143
- Interventricular septal mass of dog's heart, study of propagation of wave of activation in (Rodriguez and Sodi-Pallares), 715
- Intra- and extracardiac disease, unipolar leads in graphic differentiation between (Fox et al.), 747
- Intramuscular administration of procaine amide (Enselberg and Lipkin), 781
- injection of digitoxin (Digitaline Native) in new solvent, clinical studies of (Strauss et al.), 787
- Intrathoracic masses, constrictive pericarditis, and myocardial infarction, electrokymographic studies in (Heyer and Boone), 473
- Intravenous procaine amide, value of, in treatment of tachycardias (Kelley et al.), 851
- K
- Kidney, opposite, unilateral renal artery obstruction associated with malignant nephrosclerosis confined to (Bauer and Forbes), 634
- Krebs cycle in human cardiac muscle (Burdette), 823
- L
- Lanatoside C, circulatory and ventilatory changes in chronic pulmonary disease as affected by (Gray et al.), 517
- Lead myocarditis: report of case (Read and Williams), 797
- Leads, modern precordial and extremity, in practice, 164 (B. Rev.)
- Levocardia (Moscovitz et al.), 184
- Life Insurance Medical Research Fund, Research Fellowships and Grants, 482
- Loops, vectorcardiographic, simple technique for registering direction of rotation of (Whipple), 384
- M
- Mannikin to simplify teaching of congenital heart disease (Brodeur), 294
- Mathematical method to determine electrical axis direction of electrocardiographic waves (Ayala), 67
- Medical Research Council, Special Report Series, No. 277. Observations of general effects of injury in man, with special reference to wound shock, 164 (B. Rev.)
- Mephentermine—effective pressor amine (Brofman et al.), 396
- Mercurial compounds, new, three, clinical diuretic studies on (Moyer et al.), 281
- Metabolism, aerobic, of human myocardium (Burdette), 823
- Mitral insufficiency, esophageal pulse tracing in (Lasser et al.), 685
- stenosis and insufficiency, esophageal pulse tracing in (Lasser et al.), 689
- esophageal pulse tracing in (Lasser et al.), 687
- studies in. II. Observations on incidence of active rheumatic carditis in left auricular appendages resected at operation for mitral stenosis (Biörck et al.), 325
- III. Observations on incidence and distribution of cerebral emboli with regard to possibilities of their prevention during operative procedures (Hall et al.), 600

Mitral insufficiency—Cont'd

- valve disease, observations in human beings with (II); esophageal pressure pulse patterns (esophageal piezocardiogram) (Lasser et al.), 681
- lesions as seen in electrokymogram (Heyer and Boone), 468

Multiple channel electrocardiographs using common central terminal, artifacts in (Lepeschkin), 62

Muscle, cardiac, human, Krebs cycle in (Burdette), 823

Myocardial damage, reversible, lead poisoning with evidence of (Read and Williams), 797

infarct, hypercholesteremic, survivors, depressing effect of inositol on serum cholesterol and lipid phosphorus in (Felch et al.), 390

infarction, acute, anticoagulant therapy in (Feldman et al.), 112

hypotensive state following. I (Selzer), 1
II (Selzer and Taylor), 12

electrokymographic studies in constrictive pericarditis, intrathoracic masses, and (Heyer and Boone), 473

old, electrocardiographic and ballistocardiographic study (Scarborough et al.), 645

shock accompanying: treatment with pressor amines (Hellerstein et al.), 407

Myocarditis, lead: report of case (Read and Williams), 797

Myocardium, human, aerobic metabolism of (Burdette), 823

N

Negro subjects, adult, normal, T wave of unipolar precordial electrocardiogram in (Keller and Johnson), 494

Neosynephrine, effects of, on Wolff-Parkinson-White syndrome (Blinder et al.), 276

Nephrosclerosis, malignant, confined to opposite kidney, unilateral renal artery obstruction associated with (Bauer and Forbes), 634

Nervous system, central, stimulants, cardiac arrhythmias following use of large doses of (Bennett and Walker), 428

Neurofibromatosis, bilateral pheochromocytoma associated with (Koonce et al.), 901

Nitroglycerin, ballistocardiographic response to, in coronary artery disease (Mandelbaum and Mandelbaum), 257

Nurses, handbook of cardiology for, 324 (B. Rev.)

O

Operative procedures, observations on incidence and distribution of cerebral emboli with regard to possibilities of their prevention during (III); studies in mitral stenosis (Hall et al.), 600

Ostium, atrioventricular, common, persistent; congenital cardiac anomaly (Curtin), 884

Output, signal, standardized, in ballistocardiography value (Smith), 872

P

Pancreas, chronic cor pulmonale as complication of fibrocystic disease of (Tomlin et al.), 42

Papillary muscle, cardiac, necrosis of, following infarction with incomplete rupture (Hope and Askey), 306

Paroxysmal tachycardia, effect of procaine amide on anomalous conduction and, in case resembling Wolff-Parkinson-White syndrome (Hoffman et al.), 154

ventricular tachycardia, occurrence in, of ventricular complexes transitional in shape to sinoauricular beats (Dressler and Roesler), 485

Patent ductus arteriosus with partial reversal of shunt (Bothwell et al.), 360

Pentaerythritol tetranitrate (Peritrate), use of, in treatment of angina pectoris (Talley et al.), 866

Pericardial cavity, penetration into, during cardiac catheterization (Stern et al.), 448

Pericarditis, constrictive, chronic: further consideration of pathologic physiology of disease (Sawyer et al.), 207

intrathoracic masses, and myocardial infarction, electrokymographic studies in (Heyer and Boone), 473

Peripheral resistance in auricular fibrillation (Hansen et al.), 507

Pheochromocytoma, bilateral, associated with neurofibromatosis (Koonce et al.), 901

Phosphorus, lipid, depressing effect of inositol on serum cholesterol and, in hypercholesteremic myocardial infarct survivors (Felch et al.), 390

Pitressin infusion, effect of, on blood pressure of rabbit, cat, and rat (Friedman and Pauls), 131

Plasma prothrombin time and total prothrombin time, action of Dicumarol in human being on (Quick et al.), 119

- Poisoning, lead, with evidence of reversible myocardial damage (Read and Williams), 797
- Praxis, ärztliche, Elektrokardiographie für die, 803 (B. Rev.)
- Precordial electrocardiogram, unipolar, T wave of, in normal adult Negro subjects (Keller and Johnson), 494
- Precordium and epigastrium, low frequency tracings of, in normal subjects and cardiac patients (Luisada and Magri), 545
- Pressor amine, effective — mephentermine (Brofman et al.), 396
- amines, treatment with; shock accompanying myocardial infarction (Hellerstein et al.), 407
- Pressure, arterial, mean pulmonary, in auricular fibrillation (Hansen et al.), 511
- radial, in auricular fibrillation (Hansen et al.), 511
- right, in auricular fibrillation (Hansen et al.), 511
- esophageal, pulse patterns (esophageal piezocardiogram). II. Observations in human beings with mitral valve disease (Lasser et al.), 681
- pulse patterns, esophageal, (esophageal piezocardiogram) (Lasser and Loewe), 531
- venous, in auricular fibrillation (Hansen et al.), 512
- ventricular, right, elevated, analysis of electrocardiographic patterns in forty-four patients with; congenital heart disease (Cosby et al.), 581
- Procaine amide, action of, in complete heart block (Miller et al.), 432
- effect of, on anomalous conduction and paroxysmal tachycardia in case resembling Wolff-Parkinson-White syndrome (Hoffman et al.), 154
- intramuscular administration of (Enselberg and Lipkin), 781
- intravenous, value of, in treatment of tachycardias (Kelley et al.), 851
- Prostigmin administration (vagomimetic substance), effects of, on Wolff-Parkinson-White syndrome (Blinder et al.), 274
- Prothrombin time, total, action of Dicumarol in human being on plasma prothrombin time and (Quick et al.), 119
- Pulmonary arterial pressure, mean, in auricular fibrillation (Hansen et al.), 511
- arteriovenous fistula, asymptomatic: report of two cases surgically treated (Freedman et al.), 594
- artery, normal electrokymographic tracings of aorta and (Heyer and Boone), 462
- Pulmonary arterial pressure—Cont'd
- disease, chronic, circulatory and ventilatory changes in, as affected by lanatoside C (Gray et al.), 517
- pathology, some aspects of unipolar electrocardiography in presence of (Fox et al.), 747
- stenosis, congenital, and tricuspid insufficiency, unusual cyanosis in boy with. Fatal outcome after angiocardiology (Björck et al.), 143
- valve lesions, aortic and, electrokymographic studies of (Heyer and Boone), 468
- vasculature, observations on elasticity of, in man (Doyle et al.), 565
- Pulmonic stenosis, congenital, with open foramen ovale in infancy (Johnson and Johnson), 344
- Pulse pattern, esophageal pressure (esophageal piezocardiogram). II. Observations in human beings with mitral valve disease (Lasser et al.), 681
- patterns, pressure, esophageal, (esophageal piezocardiograms) (Lasser and Loewe), 531
- Pulseless disease (Caccamise and Whitman), 629
- Pulsus alternans, ballistocardiographic findings in case of (Selinger and Levin), 311
- Q
- QRS interval, measurement of duration of (Lepeschkin and Surawicz), 80
- Quinidine administration (muscular depressant), effects of, in Wolff-Parkinson-White syndrome (Blinder et al.), 269
- possible masking effect of, on Wolff-Parkinson-White syndrome (Blinder et al.), 273
- R
- Rabbit, cat, and rat, effect of pitressin infusion on blood pressure of (Friedman and Pauls), 131
- Rates, critical, in ventricular conduction. IV (Vesell and Friedfeld), 830
- Renal artery obstruction, unilateral, associated with malignant nephrosclerosis confined to opposite kidney (Bauer and Forbes), 634
- Revascularization of heart. Observations on circulation following arterialization of coronary sinus (Hahn et al.), 772
- Rheumatic carditis, active, observation on incidence of, in left auricular appendages resected at operation for mitral stenosis (II); studies in mitral stenosis; (Björck et al.), 325

- Rheumatic carditis—Cont'd
 heart disease, blood bilirubin in (Schalm and Hoogenboom), 573
 with calcification of left auricle (Ruskin and Samuel), 333
- Rupture, incomplete, necrosis of cardiac papillary muscle following infarction with (Hope and Askey), 306
- S
- Sarcoid, Boeck's, with unusual cardiac configuration and electrocardiographic changes (Rubinstein and Kroop), 313
- Schistosomal heart disease: bilharzic cor pulmonale (Vesell and Schack), 296
- Septal mass, interventricular, of dog's heart, study of propagation of wave of activation in (Rodriguez and Sodi-Pallares), 715
- Serum cholesterol and lipid phosphorus, depressing effect of inositol on, in hypercholesteremic myocardial infarct survivors (Felch et al.), 330
- edema fluid, and urine, relationship of some electrolytes of, in case of intractable heart failure (Soloff et al.), 766
- potassium changes, electrocardiographic and, in fatal hyperthermia (Goldberg et al.), 754
- Shock accompanying myocardial infarction: treatment with pressor amines (Hellerstein et al.), 407
- wound, observations on general effects of injury in man, with special reference to; Medical Research Council, Special Report Series, No. 277, 164 (B. Rev.)
- Shunt, patent ductus arteriosus with partial reversal of (Bothwell et al.), 360
- Sinoauricular beats, occurrence in paroxysmal ventricular tachycardia of ventricular complexes transitional in shape to (Dressler and Roesler), 485
- Sinus, coronary, observations on circulation following arterialization of; revascularization of heart (Hahn et al.), 772
- Space, teaching aid for visualizing direction of electrical forces of heart in (Woodson and Hurst), 879
- three planes of, modification of vector model to provide accurate recording of mean vector positions in (Urschell and Abbey), 372
- Spatial vectorcardiogram during first decade of life (Lamb and Dimond), 174
- vectorcardiograms, method for recording (Lamb and Dimond), 165
- vectorcardiography, 322 (B. Rev.)
- vectors, mean, geometric model for determining direction of (Langner), 378
- Stab wound of heart, electrocardiogram pattern in: case report (Beber and Limbeck), 149
- Stenosis, mitral, esophageal pulse tracing in (Lasser et al.), 687
- studies in. III. Observations on incidence and distribution of cerebral emboli with regard to possibilities of their prevention during operative procedures (Hall et al.), 600
- pulmonary, congenital, and tricuspid insufficiency, unusual cyanosis in boy with. Fatal outcome after angiocardiology (Björck et al.), 143
- pulmonic, congenital, with open foramen ovale in infancy (Johnson and Johnson), 344
- Stimulants, central nervous system, cardiac arrhythmias following use of large doses of (Bennett and Walker), 428
- Syphilitic heart disease, blood bilirubin in (Schalm and Hoogenboom), 574
- T
- T wave of unipolar precordial electrocardiogram in normal adult Negro subjects (Keller and Johnson), 494
- Tachycardia, auricular, paroxysmal, with digitalis-induced atrioventricular block under observation for thirteen years (Fenichel), 890
- paroxysmal, effect of procaine amide on anomalous conduction and, in case resembling Wolff-Parkinson-White syndrome (Hoffman et al.), 154
- ventricular, paroxysmal, case of Wolff-Parkinson-White syndrome with (Fleishman), 897
- occurrence in, of ventricular complexes transitional in shape to sinoauricular beats (Dressler and Roesler), 485
- Tachycardias, value of intravenous procaine amide in treatment of (Kelley et al.), 851
- Teaching aid for visualizing direction of electrical forces of heart in space (Woodson and Hurst), 879
- of congenital heart disease, mannikin to simplify (Brodeur), 294
- Terminal, central, common, artifacts in multiple channel electrocardiographs using (Lepeschkin), 62
- Tissues, soft, and bone (pelvis and vertebrae), multiple arteriovenous aneurysms of, resulting in cardiac failure (Gordon et al.), 51
- Tracings, low frequency, of precordium and epigastrium in normal subjects and cardiac patients (Luisada and Magri), 545
- Tricuspid insufficiency, unusual cyanosis in boy with congenital pulmonary stenosis and. Fatal outcome after angiocardiology (Björck et al.), 143
- valve disease, hemodynamic pattern in (McCord and Blount), 671

Twins, identical, congenital malformation of heart in one of (Goldman and Stern), 159

U

Unipolar electrocardiography, some aspects of, in presence of pulmonary pathology (Fox et al.), 747

Urine, relationship of some electrolytes of serum, edema fluid and, in case of intractable heart failure (Soloff et al.), 766

V

Vasculature, pulmonary, observations on elasticity of, in man (Doyle et al.), 565

Vector model, modification of, to provide accurate recording of mean vector positions in three planes of space (Urschel and Abbey), 372

Vectorcardiogram of newborn infant (Schaffer and Beinfield), 89
spatial, during first decade of life (Lamb and Dimond), 174

Vectorcardiograms, spatial, method for recording (Lamb and Dimond), 165

Vectorcardiographic loops, simple technique for registering direction of rotation of (Whipple), 384

Vectorcardiography, spatial, 322 (B. Rev.)

Vectors, spatial, mean, geometric model for determining direction of (Langner), 378

Velocity meter, calibrated bar-magnet, for use in ballistocardiography (Smith), 872

Venous pressure in auricular fibrillation (Hansen et al.), 512
valve in aged (Saphir and Lev), 843

Ventilatory changes, circulatory and, in chronic pulmonary disease as affected by ianatoside C (Gray et al.), 517

Ventricular activity, studies on mechanism of. III. Contraction of ventricles in experimental bundle branch block (Smith et al.), 231

conduction, aberrant, following use of procaine amide (Kelley et al.), 851

critical rates in. IV (Vesell and Friedfeld), 830

curve, normal, electrokymogram and (Heyer and Boone), 463

pressure, right, elevated, analysis of electrocardiographic patterns in forty-four patients with; congenital heart disease (Cosby et al.), 581

tachycardia, paroxysmal, case of Wolff-Parkinson-White syndrome with (Fleishman), 897

occurrence in, of ventricular complexes transitional in shape to sinoauricular beats (Dressler and Roesler), 485

Vitamin K₁, emulsified, intravenous, in treatment of coumarin-induced hypoprothrombinemia (Stragnell), 124

W

Wave of activation in interventricular septal mass of dog's heart, study of propagation of (Rodriguez and Sodi-Palares), 715

Waves, electrocardiographic, mathematical method to determine electrical axis direction of (Ayala), 67

Wolff-Parkinson-White syndrome and related conditions; accelerated conduction, 481 (B. Rev.)

case of, with paroxysmal ventricular tachycardia (Fleishman), 897

drug effects in (Blinder et al.), 268

effect of procaine amide on anomalous conduction and paroxysmal tachycardia in case resembling (Hoffman et al.), 154

